

IPG BRANCH SOLUTIONS

A PROFITABLE WEBSHOP CONCEPT



IPG BRANCH CONCEPT

SMART PRODUCTS FOR YOUR LOGISTICS

CONTENTS **BRANCH SOLUTIONS**



MEAT INDUSTRY
Page 4-9



BAKING INDUSTRY
Page 10-11



AGRICULTURE INDUSTRY
Page 12




INDUSTRY
Page 13



RETAIL INDUSTRY
Page 14-15



BRANCH SOLUTIONS **WEBSHOP**



FOR THE MEAT INDUSTRY



Our largest customer base comes from the meat industry. We quickly and reliably provide our industrial clients with all the standard shipping packaging they need. With IPG containers and pallets, your meat and sausage products can be shipped and stored hygienically.

Our packaging is made from food-safe plastic, is easily cleaned, extremely durable and complies with DIN 55423. It achieves this while meeting all the European guidelines for packaging as well as the hygiene requirements for the meat and food industry.



FOOD CONTAINERS



EURO food container E1

Item No.:	IPFK-E1-4612
External dimensions:	600 x 400 x 125 mm (L x W x H)
Internal dimensions:	570 x 373 x 120 mm (L x W x H)
Version:	base/sides closed, open handles
Unit weight:	1,500 g
Volume:	25 liter
Material:	HD-PE
Colour:	your choice of colour
Options:	optional lid available



EURO food container E2

Item No.:	IPFK-E2-4620
External dimensions:	600 x 400 x 200 mm (L x W x H)
Internal dimensions:	570 x 373 x 195 mm (L x W x H)
Version:	base/sides closed, open handles
Unit weight:	2,000 g
Volume:	40 liter
Material:	HD-PE
Colour:	your choice of colour
Options:	optional lid available



EURO food container E3

Item No.:	IPFK-E3-4630
External dimensions:	600 x 400 x 300 mm (L x W x H)
Internal dimensions:	570 x 373 x 295 mm (L x W x H)
Version:	base/sides closed, open handles
Unit weight:	3,000 g
Volume:	60 liter
Material:	HD-PE
Colour:	your choice of colour
Options:	optional lid available



THE NEXT GENERATION



Thanks to the injected label with QR and barcode, the E-Performance containers are easily identifiable.

The high-quality plastic composition and reinforced construction of our modern E-Performance containers are impressive.

This helps to ensure that the containers can be easily used in conveyor systems and in automated container warehouses.

The E-Performance containers are compatible with the standard euro-meat crates and they have an identical tare weight.

Thanks to the special in-mould process the labels are virtually indestructible and they making the container quickly identifiable with the help of a standard scanner.





Performance container IP- E1

External dimensions:	600 x 400 x 125 mm (L x W x H)
Internal dimensions:	570 x 373 x 120 mm (L x W x H)
Version:	closed, in mould label four-sided
Unit weight:	1,500 g
Volume:	25 liter
Material:	HD-PE
Colour:	light blue
Options:	optional lid available



Performance container IP-E2

External dimensions:	600 x 400 x 200 mm (L x W x H)
Internal dimensions:	570 x 373 x 195 mm (L x W x H)
Version:	closed, in mould label four-sided
Unit weight:	2,000 g
Volume:	40 liter
Material:	HD-PE
Colour:	light blue
Options:	optional lid available



Performance container IP-E3

External dimensions:	600 x 400 x 300 mm (L x W x H)
Internal dimensions:	570 x 373 x 295 mm (L x W x H)
Version:	closed, in mould label four-sided
Unit weight:	3,000 g
Volume:	60 liter
Material:	HD-PE
Colour:	light blue
Options:	optional lid available



VOLUME BOXES



- Dimensionally stable and impact-resistant
- Food-safe
- Smooth walls make them easy to clean
- Resistant against most acids and bases
- Stackable
- Recyclable
- Resistant against infra-red and ultraviolet rays
- Optional lid available



Big Box 4 feet

Item No.:	IP-HW-BB-4F-120100
External dimensions:	1200 x 1000 x 760 mm (L x W x H)
Internal dimensions:	1112 x 912 x 570 mm (L x W x H)
Version:	entirely closed or with open side walls, with 4 feet
Unit weight:	32 kg
Volume:	570 liter
Material:	HD-PE
Colour:	your choice of colour
Options:	optional lid available

Big Box 3 skids

Item No.:	IP-HW-BB-3K-120100
External dimensions:	1200 x 1000 x 760 mm (L x W x H)
Internal dimensions:	1112 x 912 x 570 mm (L x W x H)
Version:	entirely closed or with open side walls, with 3 skids
Unit weight:	37 kg
Volume:	570 liter
Material:	HD-PE
Colour:	your choice of colour
Options:	optional lid available



BREWING CONTAINERS



Brewing container

Item No.:	IP-BK-4615-PP
External dimensions:	600 x 400 x 150 mm (L x W x H)
Internal dimensions:	570 x 370 x 135 mm (L x W x H)
Unit weight:	1,300 g
Volume:	28 liter
Material:	PP
Colour:	your choice of colour



Euro hook

Item No.:	IP-EH-250-99
Clear width:	307 mm
Carrying capacity:	250 kg
Unit weight:	1,350 g
Material:	galvanized flat steel/NIROSTA



Euro cover 400 x 300 mm

Item No.:	IPAD-43
External dimensions:	400 x 300 x 25 mm (L x W x H)
Unit weight:	300 g
Material:	PP
Colour:	your choice of colour



Euro cover 600 x 400 mm

Item No.:	IPAD-46
External dimensions:	600 x 400 x 25 mm (L x W x H)
Unit weight:	600 g
Material:	PP
Colour:	your choice of colour



FOR THE BAKING INDUSTRY



We uphold the high-quality standards of the baking industry according to DIN ISO 9001.

Items that are produced to be in direct contact with food products are labelled using the "glass / fork symbol". IPG bakery baskets comply with the current EU regulation 10/2011, the EU framework regulation for consumer goods (EG) No. 1935/2004 as well as the IFS Standard.



Bakery basket 9 cm



Item No.:	IPBK-4609
External dimensions:	600 x 400 x 90 mm (L x W x H)
Internal dimensions:	570 x 370 x 75 mm (L x W x H)
Version:	base and sides are open, open handles
Unit weight:	895 g
Volume:	15 liter
Material:	HD-PE or PP
Colour:	your choice of colour

Bakery basket MEDIUM / HEAVY 15 cm



Item No.:	IPBK-4615
External dimensions:	600 x 400 x 150 mm (L x W x H)
Internal dimensions:	570 x 370 x 135 mm (L x W x H)
Version:	base is open, sides are completely open or partially closed, open handles
Unit weight:	1,300 g MEDIUM / 1,550 g HEAVY
Volume:	28 liter
Material:	HD-PE or PP
Colour:	your choice of colour

BAKERY BASKETS



- Manufactured using high-quality PP- or PE-HD-material
- PP-material temperature resistant from -20 °C to +120 °C
(short term exposure during the washing or pasteurisation process)
- PE-HD-material temperature resistant from -40 °C to +70 °C
- Resistant against acids, bases, water, alcohol, oil and petrol


Bakery basket 23 cm

Item No.:	IPBK-4623
External dimensions:	600 x 400 x 230 mm (L x W x H)
Internal dimensions:	570 x 370 x 215 mm (L x W x H)
Version:	base and sides are open, open handles
Unit weight:	1,700 g
Volume:	45 liter
Material:	HD-PE or PP
Colour:	your choice of colour



Bakery basket 32 cm

Item No.:	IPBK-4632
External dimensions:	600 x 400 x 320 mm (L x W x H)
Internal dimensions:	570 x 370 x 305 mm (L x W x H)
Version:	base and sides are open, open handles
Unit weight:	2,100 g
Volume:	64 liter
Material:	HD-PE or PP
Colour:	your choice of colour



Bakery basket 41 cm

Item No.:	IPBK-4641
External dimensions:	600 x 400 x 410 mm (L x W x H)
Internal dimensions:	570 x 370 x 395 mm (L x W x H)
Version:	base and sides are open, open handles
Unit weight:	2,500 g
Volume:	83 liter
Material:	HD-PE or PP
Colour:	your choice of colour



FOR THE AGRICULTURE



Our range for the agricultural industry comprises reusable containers for fruit and vegetables as well as planting containers for tree nurseries and lily farmers. IPG fruit and vegetable containers comply with the highest hygiene standards, have smooth and easy to clean surfaces, are suitable for use with automated washing systems and contain very little residual water after washing.



Can be reduced in volume by 85 %

Asparagus crate

Item No.:	IPDB-3423
External dimensions:	430 x 350 x 230 mm (L x W x H)
Internal dimensions:	355 x 315 x 225 mm (L x W x H)
Version:	with or without perforation in the base
Unit weight:	600 g
Volume:	20 liter
Material:	PP
Colour:	your choice of colour
Options:	optional lid available



Lily crate

Item No.:	IPLK-4622-10-R
External dimensions:	600 x 400 x 240 mm (L x W x H)
Internal dimensions:	566 x 367 x 224 mm (L x W x H)
Version:	slotted base and sides
Unit weight:	1,650 g
Volume:	46 liter
Material:	HD-PE regranulate
Colour:	your choice of colour



Big Box Fruit & Vegetable

Item No.:	PB-PFF1210-4-feet
External dimensions:	1200 x 1000 x 760 mm (L x W x H)
Internal dimensions:	1112 x 912 x 570 mm (L x W x H)
Version:	35 kg with 3 skids, 30 kg with 4 feet
Unit weight:	570 liter
Volume:	3 skids or 4 feet
Material:	HD-PE
Colour:	your choice of colour

FOR THE INDUSTRY



Our industrial container range is 100% resource saving.
Produced with 100% INTECH quality!

- Warehouse and shipping containers made of PP-plastic (REACH-compliant)
- Modular stackable
- Extremely stable and long lasting
- Optional lid and various versions available



Industrial container 600 x 400 mm

External dimensions:	600 x 400 x 170 / 250 / 290 / 330 mm (L x W x H)
Internal dimensions:	560 x 360 x 160 / 240 / 280 / 320 mm (L x W x H)
Version:	open or closed handles, base closed or perforated
Unit weight:	1,640 / 2,060 / 2,280 / 2,520 g
Volume:	32 / 48 / 56 / 67 liter
Material:	PP
Colour:	your choice of colour
Options:	optional lid available




Industrial container 400 x 300 mm

External dimensions:	400 x 300 x 130 / 190 / 230 / 270 / 310 mm (L x W x H)
Internal dimensions:	365 x 265 x 120 / 180 / 220 / 260 / 300 mm (L x W x H)
Version:	open or closed handles, base closed or perforated
Unit weight:	830 / 969 / 1,140 / 1,227 / 1,362 g
Volume:	12 / 17 / 21 / 25 / 29 liter
Material:	PP
Colour:	your choice of colour
Options:	optional lid available



FOR THE RETAIL INDUSTRY

The IPG collapsible containers are well suited for shipping, for the presentation in the branch and for classic retail. Our collapsible containers are robust and long lasting, with a tasteful design and wide range of colours.



Collapsible container 41 L




Item No.:	IPFB-41L
External dimensions:	525 x 355 x 265 mm (L x W x H)
Internal dimensions:	495 x 325 x 255 mm (L x W x H)
Version:	base closed, slotted walls
Unit weight:	1,270 g
Volume:	41 liter
Material:	PP
Colour:	your choice of colour

Collapsible container 55 L



Item No.:	IPFB-55L
External dimensions:	575 x 380 x 295 mm (L x W x H)
Internal dimensions:	545 x 355 x 285 mm (L x W x H)
Version:	base closed, slotted walls
Unit weight:	1,470 g
Volume:	55 liter
Material:	PP
Colour:	your choice of colour

FOR THE RETAIL INDUSTRY



Storage container 600 x 400 mm

External dimensions: 600 x 400 x 170 / 250 / 290 / 330 mm (L x W x H)

Internal dimensions: 560 x 360 x 160 / 240 / 280 / 320 mm (L x W x H)

Version: open or closed handles, base closed or perforated

Unit weight: 1,640 / 2,060 / 2,280 / 2,520 g

Volume: 32 / 48 / 56 / 67 Liter

Material: HD-PE or PP

Colour: your choice of colour

Options: optional lid available



Storage container 400 x 300 mm

External dimensions: 400 x 300 x 130 / 190 / 230 / 270 / 310 mm (L x W x H)

Internal dimensions: 365 x 265 x 120 / 180 / 220 / 260 / 300 mm (L x W x H)

Version: open or closed handles, base closed or perforated

Unit weight: 830 / 969 / 1,140 / 1,227 / 1,362 g

Volume: 12 / 17 / 21 / 25 / 29 Liter

Material: HD-PE or PP

Colour: your choice of colour

Options: optional lid available



Stack & Nest container

Item No.: IPIT-DB-3423

External dimensions: 430 x 350 x 230 mm (L x W x H)

Internal dimensions: 355 x 315 x 225 / 325 x 280 x 225 mm (L x W x H)

Version: base/sides closed

Unit weight: 600 g

Volume: 20 liter

Material: PP


Colour: your choice of colour

Options: optional lid available

Can be reduced in volume by 85 %




PLASTIC PALLETS



Hygiene pallets by IPG are used primarily in industries where hygienic storage and transport conditions are indispensable. Thanks to their standardised outer dimensions of 1200 x 800 mm, plastic hygiene pallets can be ideally combined with standardised stacking containers. They are light yet remain robust and resistant. An addi-

tional, important advantage of hygiene pallets by IPG is that they can easily be cleaned. Humidity and moisture cannot be absorbed by the pallet, thereby preventing the accumulation of germs and bacteria. Thanks to their resistance to cold and heat, IPG hygiene pallets can be used in a wide variety of industries.



Hygiene pallet EURO H1


Item No.:	IPH1-12080-02
External dimensions:	1200 x 800 x 160 mm (L x W x H)
Load capacity:	1,250 kg dynamic/5,000 kg static/ 1,000 kg high rack
Version:	3 skids welded
Unit weight:	18 kg
Material:	HD-PE
Colour:	your choice of colour
Options:	with or without perimetric rims, with or without central rims



Medium pallet Black-Line

Item No.:	IP-12080-03-10-R
External dimensions:	1200 x 800 x 155 mm (L x W x H)
Load capacity:	1,250 kg dynamic/5,000 kg static/ 650 kg high rack
Version:	3 skids unwelded
Unit weight:	16.25 kg
Material:	HD-PE regranulate
Colour:	black
Options:	with or without perimetric rims, with or without central rims

LIGHTWEIGHT PALLETS



The IPG light pallets convince by their low weight. In spite of this, they provide a high load capacity and they are used primarily for exports. Light pallets with feet can be stored inside each other to save space and with optional skids the pallets are even more stable.

Light pallet IT800GD

Item No.:	IP-GD-12080-10
External dimensions:	1200 x 800 x 153 mm (L x W x H)
Load capacity:	1,200 kg dynamic/2,000 kg static
Version:	9 feet (nestable), closed surface
Temperature range:	-40 °C to +70 °C
Unit weight:	6 kg
Material:	HD-PE/PP regranulate
Colour:	black
Options:	with or without safety rims, clip-on skids available




Light pallet IT800

Item No.:	IP-OD-12080-10
External dimensions:	1200 x 800 x 153 mm (L x W x H)
Load capacity:	1,000 kg dynamic/2,000 kg static
Version:	9 feet (nestable), open surface
Temperature range:	-40 °C to +70 °C
Unit weight:	5 kg
Material:	HD-PE/PP regranulate
Colour:	black
Options:	with or without safety rims, clip-on skids available



LIGHTWEIGHT PALLETS



Light pallet IT1000GD



Item No.:	IP-GD-120100-10
External dimensions:	1200 x 1000 x 153 mm (L x W x H)
Load capacity:	1,200 kg dynamic/2,000 kg static
Version:	9 feet (nestable), closed surface
Temperature range:	-40 °C to +70 °C
Unit weight:	7,5 kg
Material:	HD-PE/PP regranulate
Colour:	black
Options:	with or without safety rims, clip-on skids available

Light pallet IT1000



Item No.:	IP-OD-120100-10
External dimensions:	1200 x 1000 x 153 mm (L x W x H)
Load capacity:	1,000 kg dynamic/2,000 kg static
Version:	9 feet (nestable), open surface
Temperature range:	-40 °C to +70 °C
Unit weight:	6,5 kg
Material:	HD-PE/PP regranulate
Colour:	black
Options:	with or without safety rims, clip-on skids available





IPG **BRANCH SOLUTIONS** WEBSHOP

WWW.IP-GROUP.COM

